
agar

Safety data sheet

according to 1907/2006/EC, Article 31



GB

(Contd. of page 1)

Safety data sheet according to 1907/2006/EC, Article 31

Version number 1

Revision Date 17.03.2015

Trade name: SampleKwick Powder

- P321 Specific treatment (see on this label).
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- 2.3 Other hazards

Date Printed 27.02.2019

Physico-chemical hazards: In the supplied form the product is not explosive at all; however the build-up of fine dust can lead to a risk of dust eplosions.

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.1 Chemical characterisation: Substances
- · CAS No. Description
- 9003-42-3 POLY(ETHYL METHACRYLATE)
- · Identification number(s)
- EC number: 202-597-5
- \cdot **Description:** The product is a mixture.

· Dangerous components:

CAS: 94-36-0 dibenzoyl peroxide 2.0% EINECS: 202-327-6 🔗 🗞 Org. Perox. B, H241; 🗘 Eye Irrit. 2, H319; Skin Sens. 1, H317

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Change soaked clothing.

After inhalation: Supply fresh air.

No adverse effects are anticipated from inhalation.

Ensure supply of fresh air.

In the event of symptoms seek for medical treatment.

- After skin contact:
- Wash with water and soap and rinse thoroughly.
- In case of contact with skin wash off immediately with soap and water.
- Consult a doctor if skin irritation persists.
- · After eye contact:

Rinse caitiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

- After swallowing:
- Seek medical advice immediately.

Rinse out mouth and give plenty of water to drink.

- 4.2 Most important symptoms and effects, both acute and delayed Allergic reactions.
- **4.3 Indication of any immediate medical attention and special treatment needed** Treat symptomatically.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

Use fire extinguishing methods suitable to surrounding conditions. Carbon dioxide. Water spray jet. Dry powder. Foam.

• For safety reasons unsuitable extinguishing agents: Full water jet.

(Contd. of page 2)

agar

Safety data sheet according to 1907/2006/EC, Article 31

Version number 1

Revision Date 17.03.2015

Trade name: SampleKwick Powder

- **5.2 Special hazards arising from the substance or mixture** Unknown risk of formation of toxic pyrolysis products.
- · 5.3 Advice for firefighters

Date Printed 27.02.2019

- · Protective equipment: Use self-contained breathing apparatus.
- Additional information

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation. Avoid dust formation. Use personal protective equipment. 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water. Do not discharge into the drains/surface waters/groundwater. 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. Avoid raising dust. Dispose of absorbed material in accordance with regulations. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Provide vacuuming if dust raised. Avoid formation and deposition of dust. Dust can form an EXPLOSIVE MIXTURE with air. Do not drink, smoke or take drugs at work. Use barrier skin cream. Take off contaminated clothing and wash before reuse. Information about fire - and explosion protection: No other data available. · 7.2 Conditions for safe storage, including any incompatibilities Keep only in original container. Prevent penetration into the ground. Keep container tightly closed. Keep container in a well-ventilated place. Protect from heat/overheating. Store in a dry place. Do not keep at temperatures above 30°C. · Storage: Requirements to be met by storerooms and receptacles: Do not keep at temperatures above 30°C. · Information about storage in one common storage facility: Not required. · Further information about storage conditions: None.

· 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 4)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Version number 1

Revision Date 17.03.2015

Trade name: SampleKwick Powder

Date Printed 27.02.2019

(Contd. of page 3)

 Additional information about design of technical facilities: No further data; see item 7. 8.1 Control parameters Ingredients with limit values that require monitoring at the workplace: 94-36-0 dibenzoyl peroxide WEL [Long-term value: 5 mg/m³ Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Ensure adequate ventilation at workstation. Personal protective and hygienic measures: Remove all solied and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with eyes and skin. Do not inhale dust. Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity of handled hazardous substances. The resistance of equipment to chemicals should be accrtained with the respective supplier. Take off contaminated clothing and wash before reuse. Repratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. Not required under normal conditions. Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation of the soluble gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer. Butyl rubber, >120 min (Eh 374). The details concerned are recommendations. Please contact the glove supplier for further information. Pmetration if glove material Material of glove material Material on glove supplier for the protective gloves and has to be observed. Perention time of glove material Perention of the suitable gl	SECTION 8: Exposure controls/personal protection
 Ingredients with limit values that require monitoring at the workplace: 94-36-0 dibenzoyl peroxide WEL Long-term value: 5 mg/m³ Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Ensure adequate ventilation at workstation. Personal protective equipment: General protective and hygienic measures: Remove all solied and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with eyes and skin. Do not inhale dust. Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity of handled hazardous substances. The resistance of equipment to chemicals should be ascertained with the respective supplier. Take off contaminated clothing and wash before reuse. Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. Not required under normal conditions. Protection of hands: We glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Due to suising tests no recommendation of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. Butyl rubber, >120 min (EN 374). The details concerned are recommendations. Please contact the glove supplier for further information. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.<	· Additional information about design of technical facilities: No further data; see item 7.
94-36-0 dibenzoyl peroxide WEL Long-term value: 5 mg/m³ Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Ensure adequate ventilation at workstation. Personal protective equipment: General protective and hygienic measures: Remove all solied and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with eyes and skin. Do not inhale dust. Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity of handled hazardous substances. The resistance of equipment to chemicals should be ascertained with the respective supplier. Take off contaminated clothing and wash before reuse. Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. Not required under normal conditions. Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation of the egloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. Selection of the suitable gloves does not only depend on the material, bu	· 8.1 Control parameters
WEL Long-term value: 5 mg/m³ • Additional information: The lists valid during the making were used as basis. • 8.2 Exposure controls Ensure adequate ventilation at workstation. Personal protective and hygienic measures: Remove all solied and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with eyes and skin. De not inhale dust. Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity of handled hazardous substances. The resistance of equipment to chemicals should be ascertained with the respective supplier. Take off contaminated clothing and wash before reuse. Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. Not required under normal conditions. Protection of hands: Wore Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the repreparation? Buterial of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. <tr< td=""><td>Ingredients with limit values that require monitoring at the workplace:</td></tr<>	Ingredients with limit values that require monitoring at the workplace:
 Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Ensure adequate ventilation at workstation. Personal protective equipment: General protective equipment: Remove all solied and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with eyes and skin. Do not inhale dust. Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity of handled hazardous substances. The resistance of equipment to chemicals should be ascertained with the respective supplier. Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. Not required under normal conditions. Protection of hands: Protection of thands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation of the cloves Material of gloves Material of glove material Material M	· ·
 8.2 Exposure controls Ensure adequate vertilation at workstation. Personal protective equipment: General protective and hygienic measures: Remove all solied and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with eyes and skin. Do not inhale dust. Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity of handled hazardous substances. The resistance of equipment to chemicals should be ascertained with the respective supplier. Take off contaminated clothing and wash before reuse. Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. Not required under normal conditions. Protection of hands: Wwww. Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. Buty inber, >120 min (EN 374). The details concerned are recommendations. Please contact the glove supplier for further information. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: Safety glasses. Body protection: Light protective clohing. Limitation and supervision of exposure into the environment 	
 Personal protective equipment: General protective and hygienic measures: Remove all solied and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with eyes and skin. Do not inhale dust. Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity of handled hazardous substances. The resistance of equipment to chemicals should be ascertained with the respective supplier. Take off contaminated clothing and wash before reuse. Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. Not required under normal conditions. Protection of hands: 	
 Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. Butyl rubber, >120 min (EN 374). The details concerned are recommendations. Please contact the glove supplier for further information. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: Safety glasses. Body protection: Light protective clothing. Limitation and supervision of exposure into the environment 	 Personal protective equipment: General protective and hygienic measures: Remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with eyes and skin. Do not inhale dust. Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity of handled hazardous substances. The resistance of equipment to chemicals should be ascertained with the respective supplier. Take off contaminated clothing and wash before reuse. Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. Not required under normal conditions.
 preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. Butyl rubber, >120 min (EN 374). The details concerned are recommendations. Please contact the glove supplier for further information. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: Safety glasses. Body protection: Light protective clothing. Limitation and supervision of exposure into the environment 	Protective gloves
	 preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. Butyl rubber, >120 min (EN 374). The details concerned are recommendations. Please contact the glove supplier for further information. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: Safety glasses.
SECTION 9: Physical and chemical properties	SECTION 9: Physical and chemical properties
• 9.1 Information on basic physical and chemical properties	

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:
 - Form:
 - Colour:

Powder Various colours

(Contd. on page 5)

GB



Safety data sheet according to 1907/2006/EC, Article 31

Date Printed 27.02.2019

Version number 1

Revision Date 17.03.2015

Trade name: SampleKwick Powder

	(Contd. of page 4)
· Odour:	Characteristic
· Odour threshold:	Not determined.
· pH-value:	Not applicable.
 Change in condition Melting point/freezing point: 	Undetermined.
Initial boiling point and boiling range	• • • • • • • • • • • • • • • • • • • •
· Flash point:	304 °C
· Flammability (solid, gas):	Not determined.
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Not determined.
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits: Lower: Upper:	Not determined. Not determined.
· Vapour pressure:	Not applicable.
· Density at 20 °C:	1.25 g/cm ³
Relative density	Not determined.
· Vapour density · Evaporation rate	Not applicable.
•	Not applicable.
 Solubility in / Miscibility with water: 	Insoluble.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
 Solvent content: VOC (EC) 	0.00 %
Solids content: • 9.2 Other information	100.0 % Decomposition temperature >35°C

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No dangerous reactions known if used as directed.
- 10.2 Chemical stability The product is stable under standard conditions.
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions
- Accumulation of fine dust may entail the risk of dust explosion in the presence of air.
- \cdot 10.4 Conditions to avoid No further relevant information available.
- \cdot 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 6)

⁻ GB

agar

Safety data sheet according to 1907/2006/EC, Article 31

Version number 1

Revision Date 17.03.2015

Trade name: SampleKwick Powder

Date Printed 27.02.2019

94-36-0 dibenzoyl peroxide				
Oral	LD50	7,710 mg/kg (rat)		
Inhalative	LC50/4 h	24.3 mg/l (rat)		
		ation Based on available data, the classification criteria are not met. e/irritation Based on available data, the classification criteria are not met.		
		sensitisation		
		c skin reaction.		
		about experimental toxicology):		
The toxici	ty data lis	sted pertaining to the ingredients is intended for those working in medica		
		tional health and safety experts and toxicologists. The toxicity data was supplie nufacturers.		
CMR effect	ts (carcir	nogenity, mutagenicity and toxicity for reproduction)		
		icity Based on available data, the classification criteria are not met.		
 Carcinogenicity Based on available data, the classification criteria are not met. 				
		ity Based on available data, the classification criteria are not met.		
STOT-sing	gle expos	ure Based on available data, the classification criteria are not met.		
STOT-rep	eated exp	osure Based on available data, the classification criteria are not met.		
	bazard E	Based on available data, the classification criteria are not met.		

- · 12.1 Toxicity
- Aquatic toxicity:

94-36-0 dibenzoyl peroxide

- EC50 2.91 mg/kg (Daphnia magna) ((48h))
- 12.2 Persistence and degradability No further relevant information available.
- Other information: The toxicity data was supplied by raw materials manufacturers.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects

No classification based on calculation procedure of the preparation directive. Ingredients toxicity data was supplied by raw materials manufacturers.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Waste material must be disposed of in accordance with Directive on Waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by a customer. The waste code is to be determined within the EU in liaison with waste disposal operator.

(Contd. on page 7)

GB



Safety data sheet according to 1907/2006/EC, Article 31

Version number 1

Revision Date 17.03.2015

Trade name: SampleKwick Powder

Waste disposal key:

Date Printed 27.02.2019

Product: 070214* Contaminated packaging: 150110*, 150102

Recommendation:

Coordinate disposal with local authorities if necessary.

Disposal in an incineration plant according to official regulations.

SECTION 14: Transport information

· 14.1 UN-Number	Void	
 14.2 UN proper shipping name ADR, IMDG, IATA 	NO DANGEROUS GOODS	
· 14.3 Transport hazard class(es)	Void	
· 14.4 Packing group	Void	
· 14.5 Environmental hazards:		
· Marine pollutant:	No	
 14.6 Special precautions for user 	Not applicable.	
· 14.7 Transport in bulk according to Annex II		
of Marpol and the IBC Code	Not applicable.	

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge and should assist the user with the safe handling of this material when properly applied. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H241 Heating may cause a fire or explosion.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

- · Recommended restriction of use Observe employment restrictions for young people.
- · Department issuing SDS: Sales department

Contact:

sales@agarscientific.com Tel: +44 (0) 1279 813 519

Abbreviations and acronyms:
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the
 International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 VOC: Volatile Organic Compounds (USA, EU)
 LC50: Lethal concentration, 50 percent

(Contd. on page 8)

(Contd. of page 6)

GB



Safety data sheet according to 1907/2006/EC, Article 31

Date Printed 27.02.2019

Version number 1

Revision Date 17.03.2015

Trade name: SampleKwick Powder

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Org. Perox. B: Organic peroxides – Type B Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1 (Contd. of page 7)

GB —