

Safety data sheet

according to 1907/2006/EC, Article 31

Date Printed 02.02.2022

Version number 1

Revision Date 02.02.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name: SamplKwick Powder**
- **Article number:** AGB8786P
- **CAS Number:**
9003-42-3
- **EC number:**
202-597-5
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
Mounting material for metallographic specimens
- **Application of the substance / the preparation:** No further relevant information
- **Uses advised against** None known.
- **1.3 Details of the supplier of the safety data sheet**
- **Supplier.**
Agar Scientific Ltd
Parsonage Lane
Stansted CM24 8GF
United Kingdom
sales@agarscientific.com
Tel: +44 (0) 1279 813 519
- **Further information obtainable from:** Technical Support
- **1.4 Emergency telephone number:** 24 hours: +44 (0)1856 407333

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



Skin Sens. 1 H317 May cause an allergic skin reaction.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The substance is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS07

- **Signal word** Warning
- **Hazard-determining components of labelling:**
dibenzoyl peroxide
- **Hazard statements**
H317 May cause an allergic skin reaction.
- **Precautionary statements**
P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P103 Read carefully and follow all instructions.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves.
P362+P364 Take off contaminated clothing and wash it before reuse.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Date Printed 02.02.2022

Version number 1

Revision Date 02.02.2022

Trade name: SamplKwick Powder

(Contd. of page 1)

P321 Specific treatment (see on this label).
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

Physico-chemical hazards: In the supplied form the product is not explosive at all; however the build-up of fine dust can lead to a risk of dust explosions.

Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients



3.1 Chemical characterisation: Substances
CAS No. Description

9003-42-3 POLY(ETHYL METHACRYLATE)

Identification number(s)
EC number: 202-597-5

Description: The product is a mixture.

Dangerous components:

CAS: 94-36-0	dibenzoyl peroxide	2.0%
EINECS: 202-327-6	 Org. Perox. B, H241;  Acute Tox. 4, H302; Eye Irrit. 2, H319; Skin Sens. 1, H317	

SECTION 4: First aid measures

4.1 Description of first aid measures
General information:

Immediately remove any clothing soiled by the product.
 Change soaked clothing.

After inhalation:

Supply fresh air.
 No adverse effects are anticipated from inhalation.
 Ensure supply of fresh air.
 In the event of symptoms seek for medical treatment.

After skin contact:

Wash with water and soap and rinse thoroughly.
 In case of contact with skin wash off immediately with soap and water.
 Consult a doctor if skin irritation persists.

After eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
 Continue rinsing.
 If eye irritation persists: Get medical advice/attention.

After swallowing:

Seek medical advice immediately.
 Rinse out mouth and give plenty of water to drink.

4.2 Most important symptoms and effects, both acute and delayed Allergic reactions.
4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media
Suitable extinguishing agents:

Use fire extinguishing methods suitable to surrounding conditions.
 Carbon dioxide. Water spray jet. Dry powder. Foam.

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Date Printed 02.02.2022

Version number 1

Revision Date 02.02.2022

Trade name: **SamplKwick Powder**

(Contd. of page 2)

- **For safety reasons unsuitable extinguishing agents:** Full water jet.
- **5.2 Special hazards arising from the substance or mixture**
Unknown risk of formation of toxic pyrolysis products.
- **5.3 Advice for firefighters**
- **Protective equipment:** Use self-contained breathing apparatus.
- **Additional information**
Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Ensure adequate ventilation.
Avoid dust formation.
Use personal protective equipment.
- **6.2 Environmental precautions:**
Do not allow to enter sewers/ surface or ground water.
Do not discharge into the drains/surface waters/groundwater.
- **6.3 Methods and material for containment and cleaning up:**
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
Avoid raising dust.
Dispose of absorbed material in accordance with regulations.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Provide vacuuming if dust raised.
Avoid formation and deposition of dust.
Dust can form an EXPLOSIVE MIXTURE with air.
Do not drink, smoke or take drugs at work.
Use barrier skin cream.
Take off contaminated clothing and wash before reuse.
- **Information about fire - and explosion protection:** No other data available.
- **7.2 Conditions for safe storage, including any incompatibilities**
Keep only in original container.
Prevent penetration into the ground.
Keep container tightly closed.
Keep container in a well-ventilated place.
Protect from heat/overheating.
Store in a dry place.
Do not keep at temperatures above 30°C.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
Do not keep at temperatures above 30°C.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **7.3 Specific end use(s)** No further relevant information available.

GB

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Date Printed 02.02.2022

Version number 1

Revision Date 02.02.2022

 Trade name: **SamplKwick Powder**

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Additional information about design of technical facilities:** No further data; see item 7.

· Ingredients with limit values that require monitoring at the workplace:
--

94-36-0 dibenzoyl peroxide

WEL Long-term value: 5 mg/m ³
--

- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls** Ensure adequate ventilation at workstation.
- **Personal protective equipment:**
- **General protective and hygienic measures:**
 Remove all soiled and contaminated clothing
 Wash hands before breaks and at the end of work.
 Avoid contact with eyes and skin.
 Do not inhale dust.
 Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity of handled hazardous substances. The resistance of equipment to chemicals should be ascertained with the respective supplier.
 Take off contaminated clothing and wash before reuse.
- **Respiratory protection:**
 In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
 Not required under normal conditions.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
 Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
 Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**
 The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
 Butyl rubber, >120 min (EN 374). The details concerned are recommendations. Please contact the glove supplier for further information.
- **Penetration time of glove material**
 The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Safety glasses.
- **Body protection:** Light protective clothing.
- **Limitation and supervision of exposure into the environment**
 Prevent penetration into the ground.

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

Form:	Powder
-------	--------

Colour:	White
---------	-------

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Date Printed 02.02.2022

Version number 1

Revision Date 02.02.2022

Trade name: SamplKwick Powder

(Contd. of page 4)

· Odour:	Characteristic
· Odour threshold:	Not determined.
· pH-value:	Not applicable.
· Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	Undetermined.
· Flash point:	304 °C
· Flammability (solid, gas):	Not determined.
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Not determined.
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure:	Not applicable.
· Density at 20 °C:	1.25 g/cm ³
· Relative density	Not determined.
· Vapour density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with water:	Insoluble.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
Solids content:	100.0 %
· 9.2 Other information	Decomposition temperature >35°C

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No dangerous reactions known if used as directed.
- **10.2 Chemical stability** The product is stable under standard conditions.
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions**
Accumulation of fine dust may entail the risk of dust explosion in the presence of air.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Date Printed 02.02.2022

Version number 1

Revision Date 02.02.2022

Trade name: SamplKwick Powder

(Contd. of page 5)

LD/LC50 values relevant for classification:
94-36-0 dibenzoyl peroxide

Oral	LD50	2,000 mg/kg (mouse)
Inhalative	LC50/4 h	24.3 mg/l (rat)

Specific symptoms in biological assay:

- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation**
May cause an allergic skin reaction.

Other information (about experimental toxicology):

The toxicity data listed pertaining to the ingredients is intended for those working in medical professions, occupational health and safety experts and toxicologists. The toxicity data was supplied by raw materials manufacturers.

Additional toxicological information:

- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity
Aquatic toxicity:
94-36-0 dibenzoyl peroxide

EC50	2.91 mg/kg (Daphnia magna) ((48h))
ERC50	0.0711 mg/l (green algae)
LC50	0.06 mg/l (Oncorhynchus mykiss (rainbow trout))

- **12.2 Persistence and degradability** No further relevant information available.
- **Other information:** The toxicity data was supplied by raw materials manufacturers.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects**
No classification based on calculation procedure of the preparation directive.
Ingredients toxicity data was supplied by raw materials manufacturers.

SECTION 13: Disposal considerations

13.1 Waste treatment methods
Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Waste material must be disposed of in accordance with Directive on Waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with European Waste Catalogue (EWC) since it is only possible to classify it according

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31

Date Printed 02.02.2022

Version number 1

Revision Date 02.02.2022

Trade name: SamplKwick Powder

(Contd. of page 6)

to how it is used by a customer. The waste code is to be determined within the EU in liaison with waste disposal operator.

· **Waste disposal key:**

Product: 070214*

Contaminated packaging: 150110*, 150102

· **Recommendation:**

Coordinate disposal with local authorities if necessary.

Disposal in an incineration plant according to official regulations.

SECTION 14: Transport information

· 14.1 UN-Number	Void
· 14.2 UN proper shipping name · ADR, IMDG, IATA	NO DANGEROUS GOODS
· 14.3 Transport hazard class(es)	Void
· 14.4 Packing group	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** Substance is not listed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge and should assist the user with the safe handling of this material when properly applied. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H241 Heating may cause a fire or explosion.

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

- **Recommended restriction of use** Observe employment restrictions for young people.

- **Department issuing SDS:** Sales department

· **Contact:**

sales@agarscientific.com

Tel: +44 (0) 1279 813 519

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 8)

Safety data sheet

according to 1907/2006/EC, Article 31

Date Printed 02.02.2022

Version number 1

Revision Date 02.02.2022

Trade name: SamplKwick Powder*(Contd. of page 7)*

ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Org. Perox. B: Organic peroxides – Type B
Acute Tox. 4: Acute toxicity – Category 4
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Skin Sens. 1: Skin sensitisation – Category 1

· * **Data compared to the previous version altered.**

GB