
Safety data sheet

according to 1907/2006/EC, Article 31

Date Printed 14.06.2022

Version number 1

Revision Date 14.06.2022



Version number 1

Revision Date 14.06.2022

Trade name: EPO-TEK 353ND

Date Printed 14.06.2022

| (Contd. of page 1) |
|-------------------------------------------------------------------------------------------------|
| H314 Causes severe skin burns and eye damage. |
| H360D May damage the unborn child. |
| H335 May cause respiratory irritation. |
| Precautionary statements |
| P101 If medical advice is needed, have product container or label at hand. |
| P102 Keep out of reach of children. |
| P103 Read carefully and follow all instructions. |
| P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin |
| with water [or shower]. |
| P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact |
| lenses, if present and easy to do. Continue rinsing. |
| P310 Immediately call a POISON CENTER/doctor. |
| P321 Specific treatment (see on this label). |
| P405 Store locked up. |
| P501 Dispose of contents/container in accordance with local/regional/national/ |
| international regulations. |
| · 2.3 Other hazards |

2.3 Other hazards

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· **Description:** Mixture of substances listed below with nonhazardous additions.

| · Dangerous components: | | | | |
|---------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------|---------|--|--|
| | Substituted Imidazole blend | 60-100% | | |
| | ♦ Eye Dam. 1, H318; ♦ Acute Tox. 4, H302; Skin Irrit. 2, H315; STOT SE 3, H335 | | | |
| CAS: 288-32-4 | imidazole | 30-60% | | |
| EINECS: 206-019-2 | Repr. 1B, H360D; Skin Corr. 1C, H314; Acute Tox. 4, H302 | | | |
| • Additional information: For the wording of the listed hazard phrases refer to section 16. | | | | |

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately rinse with water.
- · After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

- After swallowing: Call for a doctor immediately.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Water fog dried resin only.

(Contd. on page 3)

GB

Version number 1

Revision Date 14.06.2022

Trade name: EPO-TEK 353ND

Date Printed 14.06.2022

- · 5.2 Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- 5.3 Advice for firefighters
- \cdot **Protective equipment:** Positive pressure self-contained breathing apparatus.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Wear gloves.

Wear protective gloves and glasses.

- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.

Dispose contaminated material as waste according to item 13.

- Ensure adequate ventilation. 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- **Information about fire and explosion protection:** Extinguishing media: Water fog - dried resin only.
- 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Additional information about design of technical facilities: No further data; see item 7.
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

- Store protective clothing separately.
- Avoid contact with the eyes.

Avoid contact with the eyes and skin.

(Contd. on page 4)

⁻ GB



Date Printed 14.06.2022

Version number 1

Revision Date 14.06.2022

Trade name: EPO-TEK 353ND

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

| SECTION 9: Physical and chemical properties | | | | |
|-------------------------------------------------------------------------------------------------|-----------------------------------------------|--|--|--|
| 9.1 Information on basic physical and chemical properties | | | | |
| General Information | | | | |
| Appearance: | | | | |
| Form: | Liquid | | | |
| Colour: | Amber coloured | | | |
| Odour: | Light | | | |
| Odour threshold: | Not determined. | | | |
| pH-value: | Not determined. | | | |
| Change in condition Melting point/freezing point: Initial boiling point and boiling range | Undetermined. Undetermined. | | | |
| Flash point: | >93 °C | | | |
| Flammability (solid, gas): | Not applicable. | | | |
| Decomposition temperature: | Not determined. | | | |
| Auto-ignition temperature: | Product is not selfigniting. | | | |
| Explosive properties: | Product does not present an explosion hazard. | | | |
| Explosion limits: | | | | |
| Lower: | Not determined. | | | |
| Upper: | Not determined. | | | |
| Vapour pressure: | Not determined. | | | |
| | (Contd. on page | | | |

(Contd. of page 3)



Date Printed 14.06.2022

Version number 1

Revision Date 14.06.2022

Trade name: EPO-TEK 353ND

| | (Contd. of pa | ge |
|-------------------------------------------|--------------------------------------------|----|
| · Density at 20 °C: | 0.3-0.83333 g/cm ³ | |
| Relative density | Not determined. | |
| · Vapour density | Not determined. | |
| · Evaporation rate | Not determined. | |
| · Solubility in / Miscibility with | | |
| water: | Not miscible or difficult to mix. | |
| · Partition coefficient: n-octanol/water: | Not determined. | |
| · Viscosity: | | |
| Dynamic: | Not determined. | |
| Kinematic: | Not determined. | |
| · Solvent content: | | |
| VOC (EC) | 0.00 % | |
| Solids content: | 60-100 % | |
| • 9.2 Other information | No further relevant information available. | |

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity

Harmful if swallowed.

· LD/LC50 values relevant for classification:

288-32-4 imidazole

Oral LD50 880 mg/kg (mouse)

Specific symptoms in biological assay:

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/irritation

- Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity
- May damage the unborn child.
- STOT-single exposure
- May cause respiratory irritation.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.

— GB

Version number 1

Revision Date 14.06.2022

Trade name: EPO-TEK 353ND

Date Printed 14.06.2022

· Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. of page 5)

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised. Danger to drinking water if even small guantities leak into the ground.

12.5 Results of PBT and vPvB assessment

- PBT: Not applicable.
- · **vPvB:** Not applicable.

12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

• Recommendation: Disposal must be made according to official regulations.

| SECTION 14: Transport information | |
|---------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|
| · 14.1 UN-Number · ADR, IMDG, IATA | UN3267 |
| 14.2 UN proper shipping name ADR | 3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (imidazole) |
| · IMDG, IATA | CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (imidazole) |
| · 14.3 Transport hazard class(es) | |
| · ADR, IMDG, IATA | |
| a a a a a a a a a a a a a a a a a a a | |
| Class | 8 Corrosive substances. |
| · Label | 8 |
| · 14.4 Packing group · ADR, IMDG, IATA | I |
| · 14.5 Environmental hazards: | Not applicable. |
| 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: | Warning: Corrosive substances. 88 F-A,S-B |
| | (Contd. on page 7) |



Date Printed 14.06.2022

Version number 1

Revision Date 14.06.2022

Trade name: EPO-TEK 353ND

| | (Contd. of page |
|----------------------------------------|----------------------------------------------------------------------|
| Segregation groups | Alkalis |
| Stowage Category | В |
| Stowage Code | SW2 Clear of living quarters. |
| Segregation Code | SG35 Stow "separated from" SGG1-acids |
| 14.7 Transport in bulk according to An | nex ll |
| of Marpol and the IBC Code | Not applicable. |
| Transport/Additional information: | |
| ADR | |
| Limited quantities (LQ) | 0 |
| Excepted quantities (EQ) | Code: E0 |
| | Not permitted as Excepted Quantity |
| Transport category | 1 |
| Tunnel restriction code | E |
| IMDG | |
| Limited quantities (LQ) | 0 |
| • • • • | Code: E0 |
| Excepted quantities (EQ) | Not permitted as Excepted Quantity |
| | |
| UN "Model Regulation": | UN 3267 CORROSIVE LIQUID, BASIC ORGANIC, N.O.S. (IMIDAZOLE), 8, I |
| | |

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge and should assist the user with the safe handling of this material when properly applied. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.

H335 May cause respiratory irritation.

H360D May damage the unborn child.

· Department issuing SDS: Sales department

· Contact:

sales@agarscientific.com

Tel: +44 (0) 1279 813 519

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU)

(Contd. on page 8)

GB



Date Printed 14.06.2022

Version number 1

Revision Date 14.06.2022

Trade name: EPO-TEK 353ND

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative VPVB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1C: Skin corrosion/irritation – Category 1C Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Repr. 1B: Reproductive toxicity – Category 1B STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 * Data compared to the provious version altered.

* Data compared to the previous version altered.

(Contd. of page 7)

GB