

Date Printed 21.06.2022

Version number 1

Revision Date 21.06.2022

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

· Trade name: Resin 617

· Article number: AGG6431

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the preparation: Molding - Embedding

· 1.3 Details of the supplier of the safety data sheet

· Supplier.

Agar Scientific Ltd Parsonage Lane Stansted CM24 8GF **United Kingdom** sales@agarscientific.com

Tel: +44 (0) 1279 813 519

- · Further information obtainable from: Technical Support
- 1.4 Emergency telephone number: 24 hours: +44 (0)1856 407333

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



Skin Sens. 1 H317 May cause an allergic skin reaction.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS07

- Signal word Warning
- · Hazard-determining components of labelling:

methenamine

· Hazard statements

H317 May cause an allergic skin reaction.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

Read carefully and follow all instructions. P103

Avoid breathing dust/fume/gas/mist/vapours/spray. P261

Wear protective gloves. P280

P362+P364 Take off contaminated clothing and wash it before reuse. P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P321 Specific treatment (see on this label).

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

2.3 Other hazards

Molding and/or machining of molded parts may form powders and/or vapours which could cause irritation to eyes, nose, throat, skin. Risk of explosion due to clouds of fine dust and ignition.

(Contd. on page 2)



Date Printed 21.06.2022 Version number 1 Revision Date 21.06.2022

Trade name: Resin 617

(Contd. of page 1)

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · **Description**: Mixture of substances listed below with nonhazardous additions.

· Dangerous compor	nents:	
CAS: 100-97-0	methenamine	<10.0%
EINECS: 202-905-8	Flam. Sol. 2, H228; (Skin Sens. 1, H317	
CAS: 108-95-2	phenol	<1.0%
EINECS: 203-632-7	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; Muta. 2, H341; STOT RE 2, H373; Skin Corr. 1B, H314	
CAS: 1305-62-0	calcium dihydroxide	<1.0%
EINECS: 215-137-3	♦ Eye Dam. 1, H318	

· Additional information:

For the wording of the listed hazard phrases refer to section 16.

Ammonia and Formaldehyde gases can be formed during molding or machining.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air.

No adverse effects are anticipated from inhalation.

- · After skin contact: Wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:

Use fire extinguishing methods suitable to surrounding conditions.

Use Water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Carbon monoxide, nitrogen dioxide, ammonia, formaldehyde and phenol can be formed during combustion.

- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures

 Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)



Date Printed 21.06.2022 Version number 1 Revision Date 21.06.2022

Trade name: Resin 617

(Contd. of page 2)

· 6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Avoid formation of dust.

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

- Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store in a cool place. Keep container tightly closed in a dry and well-ventilated place.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Additional information about design of technical facilities: No further data; see item 7.
- · Ingredients with limit values that require monitoring at the workplace:

108-95-2 phenol

WEL Short-term value: 16 mg/m³, 4 ppm Long-term value: 7.8 mg/m³, 2 ppm

Sk

1305-62-0 calcium dihydroxide

WEL Short-term value: 4* mg/m³
Long-term value: 5 1* mg/m³
*resprable fraction

Additional information:

The lists valid during the making were used as basis.

During molding ammonia is freed, side reactions can also free formaldehyde.

- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:



(Contd. on page 4)



Date Printed 21.06.2022 Version number 1 Revision Date 21.06.2022

Trade name: Resin 617

(Contd. of page 3)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Safety glasses with side shields.

SECTION 9: Ph	ysical and	d chemi	cal pro	perties
---------------	------------	---------	---------	---------

· 9.1	Information	on b	asıc pny	/sical and	cnemical	properties
_		4.				

General Information

· Appearance:

Form: Granulate
Colour: Black
Odour: Characteristic
Odour threshold: Not determined.

· **pH-value:** Not applicable.

· Change in condition

Melting point/freezing point: 70-100 °C **Initial boiling point and boiling range:** Undetermined.

· Flash point: Not applicable.

· Flammability (solid, gas): Not determined.

· **Decomposition temperature:** Not determined.

• Auto-ignition temperature: Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

· Explosion limits:

Lower:Not determined.Upper:Not determined.

• Vapour pressure: Not applicable.

Density at 20 °C: ~1.6 g/cm³
 Relative density Not determined.
 Vapour density Not applicable.

· Evaporation rate Not applicable.

· Solubility in / Miscibility with

water: Insoluble.

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

Dynamic: Not applicable. **Kinematic:** Not applicable.

(Contd. on page 5)



Date Printed 21.06.2022 Version number 1 Revision Date 21.06.2022

Trade name: Resin 617

	(Contd. of pag	je 4)
· Solvent content: Organic solvents:	<1.0 %	
Solids content:	100.0 %	
· 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions

No hazardous reaction known. In supplied form, the product cannot explode, although fine powder concentration in air may cause explosion.

- 10.4 Conditions to avoid Avoid dust formation.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: Formaldehyde, Phenol, Ammonia

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

-			to relevant for classification.
	108-95-	2 pher	ol
	Oral	LD50	317 mg/kg (rat)
	Dermal	LD50	850 mg/kg (rabbit)

- · Specific symptoms in biological assay:
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Might irritate mucous membrane
- · Respiratory or skin sensitisation

May cause an allergic skin reaction.

- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

(Contd. on page 6)



Date Printed 21.06.2022 Version number 1 Revision Date 21.06.2022

Trade name: Resin 617

(Contd. of page 5)

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information	uon —	
14.1 UN-Number	V-i-l	
ADR, IMDG, IATA	Void	
14.2 UN proper shipping name		
ADR, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
14.4 Packing group		
ADR, IMDG, IATA	Void	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to An	nex II	
of Marpol and the IBC Code	Not applicable.	
UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge and should assist the user with the safe handling of this material when properly applied. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H228 Flammable solid.

H301 Toxic if swallowed.

H311 Toxic in contact with skin.

(Contd. on page 7)



Date Printed 21.06.2022 Version number 1 Revision Date 21.06.2022

Trade name: Resin 617

(Contd. of page 6)

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H331 Toxic if inhaled.

H341 Suspected of causing genetic defects.

H373 May cause damage to organs through prolonged or repeated exposure.

· Department issuing SDS: Sales department

· Contact:

sales@agarscientific.com Tel: +44 (0) 1279 813 519

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Sol. 2: Flammable solids - Category 2

Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation - Category 1

Muta. 2: Germ cell mutagenicity - Category 2

STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2

* Data compared to the previous version altered.

- GE