

Date Printed 12.03.2021

Version number 1

Revision Date 12.03.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: s-Collidine

· Article number: AGR1100, AGR1101

• CAS Number: 108-75-8 • EC number: 203-613-3

• 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

· Application of the substance / the preparation: Laboratory chemicals

· 1.3 Details of the supplier of the safety data sheet

· Supplier.

Agar Scientific Ltd
Parsonage Lane
Stansted CM24 8GF
United Kingdom
sales@agarscientific.com
Tel: +44 (0) 1279 813 519

- · Further information obtainable from: Technical Support
- 1.4 Emergency telephone number: 24 hours: +44 (0)1856 407333

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 3 H226 Flammable liquid and vapour.



GHS06 skull and crossbones

Acute Tox. 3 H311 Toxic in contact with skin.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H332 Harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation.

· 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS02 GH

GHS06



Date Printed 12.03.2021 Version number 1 Revision Date 12.03.2021

Trade name: s-Collidine

(Contd. of page 1)

· Signal word Danger

Hazard statements

H226 Flammable liquid and vapour. H302+H332 Harmful if swallowed or if inhaled.

H311 Toxic in contact with skin.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.1 Chemical characterisation: Substances

· CAS No. Description

s-Collidine

Consisting of: 108-75-8 2,4,6-trimethylpyridine (100%)

· Identification number(s) · EC number: 203-613-3

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

In case of irregular breathing or respiratory arrest provide artificial respiration.

After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

No adverse effects are anticipated from inhalation.

- · After skin contact: Wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye under running water. If symptoms persist, consult a doctor.
- · After swallowing:

Call for a doctor immediately.

Do NOT induce vomiting. Never give anything by mouth to a unconcious person. Rinse mouth with water.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Contd. on page 3)



Date Printed 12.03.2021 Version number 1 Revision Date 12.03.2021

Trade name: s-Collidine

(Contd. of page 2)

• 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents:

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

· 5.2 Special hazards arising from the substance or mixture

Carbon oxides, Nitrogen oxides (NOx)

Combustible.

- · 5.3 Advice for firefighters
- · Protective equipment: Positive pressure self-contained breathing apparatus.
- · Additional information Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective gloves and glasses.

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware accumulating to form explosive concentrations. Vapours can accumulate in low areas.

6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Prevent further leakage or spillage if safe to do so.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking.

Take measures to prevent the build up of electrostatic charge.

· Information about fire - and explosion protection:

The dried resin is combustible, similar to wood. Burning dry resin emits dense, black smoke. As latex, material is not combustible.

Protect against electrostatic charges.

- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:

Store in a cool place. Keep container tightly closed in a dry and well-ventilated place.

Containers which are opened must be carefully resealed and kept upright to prevent leakage.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.



Date Printed 12.03.2021 Version number 1 Revision Date 12.03.2021

Trade name: s-Collidine

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- Appearance:

Form: Liquid
Colour: Colourless
Odour: Characteristic
Odour threshold: Not determined.

· **pH-value:** Not determined.

· Change in condition

Melting point/freezing point: -43 °C

(Contd. on page 5)



Date Printed 12.03.2021 Version number 1 Revision Date 12.03.2021

Trade name: s-Collidine

	(Contd. of pag
Initial boiling point and boiling range: 171-172 °C	
Flash point:	55 °C
Flammability (solid, gas):	Not applicable.
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Not determined.
Explosive properties:	Not determined.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	Not determined.
Density:	Not determined.
Relative density	0.917 g/mL
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Not determined.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid Heat, flames and sparks
- · 10.5 Incompatible materials: Strong acids
- · 10.6 Hazardous decomposition products: Carbon oxides, Nitrogen oxides (NOx)

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity

Harmful if swallowed or if inhaled.

Toxic in contact with skin.

· Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation

Causes serious eye irritation.

- Respiratory or skin sensitisation Inhalation may cause respiratory irritation
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.

(Contd. on page 6)



Date Printed 12.03.2021 Version number 1 Revision Date 12.03.2021

Trade name: s-Collidine

(Contd. of page 5)

· STOT-single exposure

May cause respiratory irritation.

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material s highly flammable.

· Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN-Number

· ADR, IMDG, IATA UN1992

· 14.2 UN proper shipping name

· **ADR** 1992 FLAMMABLE LIQUID, TOXIC, N.O.S. (2,4,6-

Trimethylpyridine)

· IMDG, IATA FLAMMABLE LIQUID, TOXIC, N.O.S. (2,4,6-

Trimethylpyridine)

· 14.3 Transport hazard class(es)

· ADR



Class 3 Flammable liquids.

(Contd. on page 7)



Date Printed 12.03.2021 Version number 1 Revision Date 12.03.2021

Trade name: s-Collidine

Label 3+6.1 IMDG Class 3 Flammable liquids. 3/6.1 IATA Class 3 Flammable liquids. 3/6.1 IATA Class 3 Flammable liquids. 3/6.1 14.4 Packing group ADR, IMDG, IATA III 14.5 Environmental hazards: Not applicable. 14.6 Special precautions for user Danger code (Kemler): 36 EMS Number: F-E,S-D Stowage Category A 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: ADR Limited quantities (LQ) 5L Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml		
Class 3 Flammable liquids. 3/6.1 IATA Class 3 Flammable liquids. 3/6.1 IATA Class 3 Flammable liquids. 3 (6.1) 14.4 Packing group ADR, IMDG, IATA III 14.5 Environmental hazards: Not applicable. 14.6 Special precautions for user Danger code (Kemler): 36 EMS Number: F-E,S-D Stowage Category A 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: ADR Limited quantities (LQ) Excepted quantities (EQ) 5 L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml		(Contd. of page 6)
Class 3/6.1 IATA Class 3/6.1 Class 3/6.1 Class 3 Flammable liquids. 3 (6.1) 14.4 Packing group ADR, IMDG, IATA III 14.5 Environmental hazards: Not applicable. 14.6 Special precautions for user Danger code (Kemler): 36 EMS Number: F-E,S-D Stowage Category A 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. 17 Transport/Additional information: ADR Limited quantities (LQ) Excepted quantities (EQ) 5 L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml	· Label	3+6.1
Label 3/6.1 IATA Class 3 Flammable liquids. 3 (6.1) 14.4 Packing group ADR, IMDG, IATA III 14.5 Environmental hazards: Not applicable. 14.6 Special precautions for user Danger code (Kemler): 36 EMS Number: F-E,S-D Stowage Category A 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: ADR Limited quantities (LQ) Excepted quantities (EQ) 5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml	·IMDG	
Label 3/6.1 IATA Class 3 Flammable liquids. 3 (6.1) 14.4 Packing group ADR, IMDG, IATA III 14.5 Environmental hazards: Not applicable. 14.6 Special precautions for user Danger code (Kemler): 36 EMS Number: F-E,S-D Stowage Category A 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: ADR Limited quantities (LQ) Excepted quantities (EQ) 5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml		
Class Label 3 (6.1) 14.4 Packing group ADR, IMDG, IATA III 14.5 Environmental hazards: Not applicable. 14.6 Special precautions for user Danger code (Kemler): EMS Number: F-E,S-D Stowage Category A 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Transport/Additional information: ADR Limited quantities (LQ) Excepted quantities (EQ) 5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml	- 10.0	
- Label 3 (6.1) - 14.4 Packing group - ADR, IMDG, IATA III - 14.5 Environmental hazards: Not applicable. - 14.6 Special precautions for user - Danger code (Kemler): 36 - EMS Number: F-E,S-D - Stowage Category A - 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. - Transport/Additional information: - ADR - Limited quantities (LQ) - Excepted quantities (EQ) - Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml	· IATA	
- Label 3 (6.1) - 14.4 Packing group - ADR, IMDG, IATA III - 14.5 Environmental hazards: Not applicable. - 14.6 Special precautions for user - Danger code (Kemler): 36 - EMS Number: F-E,S-D - Stowage Category A - 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. - Transport/Additional information: - ADR - Limited quantities (LQ) - Excepted quantities (EQ) - Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml		
ADR, IMDG, IATA 111 14.5 Environmental hazards: Not applicable. 14.6 Special precautions for user Danger code (Kemler): Stowage Category Stowage Category A 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Transport/Additional information: ADR Limited quantities (LQ) Excepted quantities (EQ) Stowage Category A Stowage Category Stowage Category A Stowage Category Stowage Categor		
· 14.6 Special precautions for user · Danger code (Kemler): · EMS Number: · Stowage Category · Stowage Category · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code · Transport/Additional information: · ADR · Limited quantities (LQ) · Excepted quantities (EQ)		III
Danger code (Kemler): EMS Number: Stowage Category A 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Transport/Additional information: ADR Limited quantities (LQ) Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml	· 14.5 Environmental hazards:	Not applicable.
of Marpol and the IBC Code Transport/Additional information: ADR Limited quantities (LQ) Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml	Danger code (Kemler): EMS Number:	36 F-E,S-D
· ADR · Limited quantities (LQ) · Excepted quantities (EQ) SL Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml		
• Limited quantities (LQ) 5L • Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml	· Transport/Additional information:	
	Limited quantities (LQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000
Tunnel restriction code D/E	· Transport category · Tunnel restriction code	3
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml	Limited quantities (LQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000
• UN 1992 FLAMMABLE LIQUID, TOXIC, N.O.S. (2,4,6-TRIMETHYLPYRIDINE), 3 (6.1), III	· UN "Model Regulation":	UN 1992 FLAMMABLE LIQUID, TOXIC, N.O.S. (2,4,6-TRIMETHYLPYRIDINE), 3 (6.1), III

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.
- · Seveso category P5c FLAMMABLE LIQUIDS

(Contd. on page 8)



Date Printed 12.03.2021 Version number 1 **Revision Date 12.03.2021**

Trade name: s-Collidine

(Contd. of page 7)

Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t

· Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t

· REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 40

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge and should assist the user with the safe handling of this material when properly applied. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Sales department

Contact:

sales@agarscientific.com Tel: +44 (0) 1279 813 519

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity - oral – Category 4
Acute Tox. 3: Acute toxicity - dermal – Category 3

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

* Data compared to the previous version altered.