
## Safety data sheet

according to 1907/2006/EC, Article 31

## Date Printed 05.01.2022

Version number 1

Revision Date 05.01.2022



GB

Date Printed 05.01.2022

Version number 1

Revision Date 05.01.2022

#### Trade name: JB-4 Solution B

#### · Precautionary statements

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read carefully and follow all instructions.
- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
- P312 Call a POISON CENTER/doctor if you feel unwell.
- P321 Specific treatment (see on this label).
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

#### **SECTION 3: Composition/information on ingredients**

#### · 3.2 Chemical characterisation: Mixtures

· **Description:** Mixture of substances listed below with nonhazardous additions.

<ul> <li>Dangerous compor</li> </ul>	nents:	
	N,N-dimethylaniline	6-10%
CAS: 50-00-0 EINECS: 200-001-8	Formaldehyde	<1.0%
CAS: 75-07-0 EINECS: 200-836-8	acetaldehyde Flam. Liq. 1, H224;  Muta. 2, H341; Carc. 1B, H350;  Acute Tox. 4, H302; Eye Irrit. 2, H319; STOT SE 3, H335	<1.0%
CAS: 75-21-8 EINECS: 200-849-9	ethylene oxide ◆ Flam. Gas 1A, H220; ◆ Acute Tox. 3, H301; Acute Tox. 3, H331; ◆ Muta. 1B, H340; Carc. 1B, H350; Repr. 1B, H360Fd; STOT RE 1, H372; ◆ Skin Corr. 1, H314; Eye Dam. 1, H318; ◆ STOT SE 3, H335-H336; Press. Gas (Comp.), H280	<1.0%
CAS: 123-91-1 EINECS: 204-661-8	1,4-dioxane Flam. Liq. 2, H225; I Carc. 2, H351; I Eye Irrit. 2, H319; STOT SE 3, H335	<1.0%
· SVHC		

123-91-1 1,4-dioxane

• Additional information: For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

#### · 4.1 Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

#### · After inhalation:

Supply fresh air.

No adverse effects are anticipated from inhalation.

- After skin contact: Wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.

(Contd. on page 3)



(Contd. of page 1)

<sup>-</sup> GB

(Contd. of page 2)

agar

#### Safety data sheet according to 1907/2006/EC, Article 31

Version number 1

Revision Date 05.01.2022

## Trade name: JB-4 Solution B

Date Printed 05.01.2022

- · After swallowing: If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

## SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions:
- Do not allow product to reach sewage system or any water course.
- Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- **6.4 Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

- 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about fire and explosion protection: Extinguishing media: Water fog - dried resin only.
- $\cdot$  7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- $\cdot$  Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

• Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)

GB —



Version number 1

Revision Date 05.01.2022

## Trade name: JB-4 Solution B

Date Printed 05.01.2022

ients with limit values that require monitoring at the workplace: -7 N,N-dimethylaniline Short-term value: 50 mg/m³, 10 ppm _ong-term value: 25 mg/m³, 5 ppm Sk 0 Formaldehyde Short-term value: 2.5 mg/m³, 2 ppm _ong-term value: 2.5 mg/m³, 2 ppm Carc 0 acetaldehyde Short-term value: 92 mg/m³, 50 ppm
Short-term value: 50 mg/m³, 10 ppm Long-term value: 25 mg/m³, 5 ppm Sk <b>0 Formaldehyde</b> Short-term value: 2.5 mg/m³, 2 ppm Long-term value: 2.5 mg/m³, 2 ppm Carc <b>0 acetaldehyde</b> Short-term value: 92 mg/m³, 50 ppm
<b>0 Formaldehyde</b> Short-term value: 2.5 mg/m³, 2 ppm _ong-term value: 2.5 mg/m³, 2 ppm Carc <b>0 acetaldehyde</b> Short-term value: 92 mg/m³, 50 ppm
Short-term value: 2.5 mg/m³, 2 ppm _ong-term value: 2.5 mg/m³, 2 ppm Carc <b>0 acetaldehyde</b> Short-term value: 92 mg/m³, 50 ppm
Short-term value: 92 mg/m³, 50 ppm
Short-term value: 92 mg/m³, 50 ppm
∟ong-term value: 37 mg/m³, 20 ppm Carc
8 ethylene oxide
_ong-term value: 1.8 mg/m³, 1 ppm Carc, Sk
-1 1,4-dioxane
₋ong-term value: 73 mg/m³, 20 ppm Sk
contact with the skin. contact with the eyes and skin. ratory protection: e of brief exposure or low pollution use respiratory filter device. In case of intensive or longe are use self-contained respiratory protective device. rtion of hands: Protective gloves
ove material has to be impermeable and resistant to the product/ the substance/ th ation. missing tests no recommendation to the glove material can be given for the product/ th ation/ the chemical mixture. on of the glove material on consideration of the penetration times, rates of diffusion and th ation at of gloves
election of the suitable gloves does not only depend on the material, but also on further mark ity and varies from manufacturer to manufacturer. As the product is a preparation of sever- nces, the resistance of the glove material can not be calculated in advance and has therefor hecked prior to the application. <b>Tation time of glove material</b> fact break through time has to be found out by the manufacturer of the protective gloves ar be observed.

(Contd. on page 5)

# Safety data sheet according to 1907/2006/EC, Article 31

Version number 1

Revision Date 05.01.2022

Trade name: JB-4 Solution B

Date Printed 05.01.2022

(Contd. of page 4)

SECTION 9: Physical and chemic	cal properties
• 9.1 Information on basic physical and c • General Information	hemical properties
· Appearance: Form:	Liquid
Colour:	Colourless
· Odour:	Characteristic
· Odour threshold:	Not determined.
· pH-value:	Not determined.
<ul> <li>Change in condition Melting point/freezing point: Initial boiling point and boiling range:</li> </ul>	Undetermined.
· Flash point:	Not applicable.
· Flammability (solid, gas):	Not applicable.
· Ignition temperature:	370 °C
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure:	Not determined.
· Density at 20 °C:	1.12 g/cm³
Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
<ul> <li>Solubility in / Miscibility with water:</li> </ul>	Fully miscible.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	<2.0 %
VOC (EC)	<2.00 %
Solids content:	94.0 %
· 9.2 Other information	No further relevant information available.

## **SECTION 10: Stability and reactivity**

· **10.1 Reactivity** No further relevant information available.

- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

Version number 1

Revision Date 05.01.2022

#### Trade name: JB-4 Solution B

Date Printed 05.01.2022

(Contd. of page 5) • **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

#### · 11.1 Information on toxicological effects

- · Acute toxicity
- Harmful in contact with skin.

· LD/LC50 values relevant for classification:

121-69-7 N,N-dimethylaniline		
Oral	1 D 50	1.110 ma/ka (rat)

Urai		1,410 mg/kg (rat)	
Dermal	LD50	1,770 mg/kg (rabbit)	
50-00-0 Formaldehyde			
Oral		100 mg/kg (rat)	
		204 mg/kg (rabbit)	

Inhalative LC50/4 h 0.203 mg/l (rat)

75-07-0 acetaldehyde

Oral LD50 661 mg/kg (rat) Inhalative LC50/4 h 37 mg/l (rat)

75-21-8 ethylene oxide Oral LD50 100 m

Oral LD50 100 mg/kg (ATE) 72 mg/kg (rat)

Inhalative LC50/4 h 700 mg/l (ATE) 2,671 mg/l (rat)

123-91-1 1,4-dioxane

 Oral
 LD50
 5,700 mg/kg (mouse)

 Dermal
 LD50
 7,600 mg/kg (rabbit)

Inhalative LC50/4 h 46 mg/l (rat)

· Specific symptoms in biological assay:

· Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation Based on available data, the classification criteria are not met.

- · Respiratory or skin sensitisation
- May cause an allergic skin reaction.

· Additional toxicological information:

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity

Suspected of causing cancer.

• Reproductive toxicity Based on available data, the classification criteria are not met.

- $\cdot$  STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

· 12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

- **12.2 Persistence and degradability** No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.

(Contd. on page 7)

— GB

Date Printed 05.01.2022

Version number 1

Revision Date 05.01.2022

#### Trade name: JB-4 Solution B

(Contd. of page 6)

- Ecotoxical effects: • Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Harmful to aquatic organisms

- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

12.6 Other adverse effects No further relevant information available.

#### **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- **Recommendation:** Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN-Number	N/ · · ·	
ADR, IMDG, IATA	Void 	
14.2 UN proper shipping name		
ADR, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, IMDG, IATA		
Class	Void	
ADN/R Class:	 Void	
	Void	
14.4 Packing group ADR, IMDG, IATA	Void	
14.5 Environmental hazards:		
Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to An	nex II	
of Marpol and the IBC Code	Not applicable.	
UN "Model Regulation":	Void	

(Contd. on page 8)



Version number 1

Revision Date 05.01.2022

Trade name: JB-4 Solution B

Date Printed 05.01.2022

(Contd. of page 7)

### **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations:

· Other regulations, limitations and prohibitive regulations

- · Substances of very high concern (SVHC) according to REACH, Article 57
- 123-91-1 1,4-dioxane
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### SECTION 16: Other information

This information is based on our present knowledge and should assist the user with the safe handling of this material when properly applied. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### **Relevant phrases**

- Extremely flammable gas. H220
- H224 Extremely flammable liquid and vapour.
- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H280 Contains gas under pressure; may explode if heated.
- H301 Toxic if swallowed.
- Harmful if swallowed. H302
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H331 Toxic if inhaled.
- H335 May cause respiratory irritation.
- H336 May cause drowsiness or dizziness.
- H340 May cause genetic defects.
- H341 Suspected of causing genetic defects.
- H350 May cause cancer.
- H351 Suspected of causing cancer.
- H360Fd May damage fertility. Suspected of damaging the unborn child.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H411 Toxic to aquatic life with long lasting effects.

#### · Department issuing SDS: Sales department

- · Contact:
- sales@agarscientific.com

Tel: +44 (0) 1279 813 519

- Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU)
- LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic

(Contd. on page 9)



Date Printed 05.01.2022

Version number 1

Revision Date 05.01.2022

## Trade name: JB-4 Solution B

	(Contd. of page 8)
SVHC: Substances of Very High Concern	
vPvB: very Persistent and very Bioaccumulative	
Flam. Gas 1A: Flammable gases – Category 1A	
Press. Gas (Comp.): Gases under pressure – Compressed gas	
Flam. Lig. 1: Flammable liquids – Category 1	
Flam. Liq. 2: Flammable liquids – Category 2	
Flam. Lig. 3: Flammable liguids – Category 3	
Acute Tox. 3: Acute toxicity – Category 3	
Acute Tox. 4: Acute toxicity – Category 4	
Skin Corr. 1: Skin corrosion/irritation – Category 1	
Skin Corr. 1B: Skin corrosion/irritation – Category 1B	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Dam. 1: Serious eye damage/eye irritation – Category 1	
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2	
Skin Sens. 1: Skin sensitisation – Category 1	
Muta. 1B: Germ cell mutagenicity – Category 1B	
Muta. 2: Germ cell mutagenicity – Category 2	
Carc. 1B: Carcinogenicity – Category 1B	
Carc. 2: Carcinogenicity – Category 2	
Repr. 1B: Reproductive toxicity – Category 1B	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1	
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category	2
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category	
	5
** Data compared to the previous version altered.	
	GB -