

# Safety data sheet

according to 1907/2006/EC, Article 31

Date Printed 02.02.2022

Version number 1

Revision Date 02.02.2022

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name: MONOMER I SOLUTION (LOWICRYL K11M)**
- **Article number: AGR1133R**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the preparation:**  
Laboratory chemicals, Manufacture of substances.
- **1.3 Details of the supplier of the safety data sheet**
- **Supplier.**  
Agar Scientific Ltd  
Parsonage Lane  
Stansted CM24 8GF  
United Kingdom  
sales@agarscientific.com  
Tel: +44 (0) 1279 813 519
- **Further information obtainable from:** Technical Support
- **1.4 Emergency telephone number:** 24 hours: +44 (0)1856 407333

## SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



corrosion

Skin Corr. 1B    H314 Causes severe skin burns and eye damage.  
 Eye Dam. 1     H318 Causes serious eye damage.



environment

Aquatic Acute 1    H400 Very toxic to aquatic life.



Acute Tox. 4     H312 Harmful in contact with skin.  
 Skin Sens. 1    H317 May cause an allergic skin reaction.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS05    GHS07    GHS09

- **Signal word** Danger
- **Hazard-determining components of labelling:**  
2-hydroxyethyl acrylate  
2-Propenoic acid, 2-methyl-,butyl ester

(Contd. on page 2)

# Safety data sheet

according to 1907/2006/EC, Article 31

Date Printed 02.02.2022

Version number 1

Revision Date 02.02.2022

**Trade name: MONOMER I SOLUTION (LOWICRYL K11M)**

(Contd. of page 1)

**Hazard statements**

- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.
- H400 Very toxic to aquatic life.

**Precautionary statements**

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read carefully and follow all instructions.
- P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a POISON CENTER/doctor.
- P321 Specific treatment (see on this label).
- P362+P364 Take off contaminated clothing and wash it before reuse.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**2.3 Other hazards**
**Results of PBT and vPvB assessment**

- PBT:** Not applicable.
- vPvB:** Not applicable.

## SECTION 3: Composition/information on ingredients

**3.2 Chemical characterisation: Mixtures**

- Description:** Mixture of substances listed below with nonhazardous additions.

**Dangerous components:**

CAS: 27813-02-1 EINECS: 248-666-3	Hydroxypropyl methacrylate ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319	38.0%
CAS: 818-61-1 EINECS: 212-454-9	2-hydroxyethyl acrylate ⚠ Acute Tox. 3, H311; ⚠ Skin Corr. 1B, H314; ⚠ Aquatic Acute 1, H400; ⚠ Skin Sens. 1, H317	28.0%
CAS: 2370-63-0 EINECS: 219-135-3	2-ethoxyethyl methacrylate ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	18.0%
CAS: 97-88-1 EINECS: 202-615-1	2-Propenoic acid, 2-methyl-,butyl ester ⚠ Flam. Liq. 3, H226; ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	16.0%

- Additional information:** For the wording of the listed hazard phrases refer to section 16.

## SECTION 4: First aid measures

**4.1 Description of first aid measures**
**General information:**

Immediately remove any clothing soiled by the product.  
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

**After inhalation:**

Supply fresh air.  
No adverse effects are anticipated from inhalation.  
Remove to fresh air. If breathing is difficult, contact emergency personnel.

**After skin contact:**

Wash with water and soap and rinse thoroughly.

(Contd. on page 3)

# Safety data sheet

according to 1907/2006/EC, Article 31

Date Printed 02.02.2022

Version number 1

Revision Date 02.02.2022

**Trade name: MONOMER I SOLUTION (LOWICRYL K11M)**

*(Contd. of page 2)*

Remove contaminated clothing.

Wash skin with deluge of water for at least 15 minutes.

· **After eye contact:**

Rinse opened eye for several minutes under running water. Then consult a doctor.

Separate eyelids with finger tips.

Flush eyes with flowing water for at least 15 minutes.

· **After swallowing:**

Drink plenty of water and provide fresh air. Call for a doctor immediately.

If swallowed, wash out mouth with water if person is conscious.

· **4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

## SECTION 5: Firefighting measures

· **5.1 Extinguishing media**

· **Suitable extinguishing agents:** Water fog.

· **5.2 Special hazards arising from the substance or mixture**

During heating or in case of fire poisonous gases are produced.

· **5.3 Advice for firefighters**

· **Protective equipment:** Positive pressure self-contained breathing apparatus.

## SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**

Wear gloves.

Wear protective gloves and glasses.

Any information listed below is to be considered in addition to internal guidelines for isolation of spill, containment of spill, removal of ignition sources from immediate area, and collection for disposal of spill by trained, properly protected clean up personnel.

· **6.2 Environmental precautions:**

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· **6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Absorb liquids on absorbent material.

Contain spilled liquids.

Protect personnel from exposure.

Use appropriate personal protective equipment.

Ventilate the area.

· **6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

*(Contd. on page 4)*

# Safety data sheet

according to 1907/2006/EC, Article 31

Date Printed 02.02.2022

Version number 1

Revision Date 02.02.2022

**Trade name: MONOMER I SOLUTION (LOWICRYL K11M)**

*(Contd. of page 3)*

- **Information about fire - and explosion protection:**  
Extinguishing media: Water fog - dried resin only.
- **7.2 Conditions for safe storage, including any incompatibilities** Store at room temperature.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Additional information about design of technical facilities:** No further data; see item 7.
- **Ingredients with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**  
Use process enclosures, local exhaust ventilation, or other engineering controls.
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes.  
Avoid contact with the eyes and skin.  
The use of eye protection in the form of safety glasses with side shields and the use of skin protection for hands in the form of gloves are considered minimum and non-discretionary in work places and laboratories. Any recommended personal protection equipment or environmental equipment is to be considered as additional to safety glasses and gloves.
- **Respiratory protection:**  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Use latex or equivalent gloves.

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Chemical-resistant gloves should be worn whenever this material is handled. The glove material has to be impermeable and resistant to the product. Gloves should be removed and replaced immediately if there is any indication of degradation or chemical breakthrough. Rinse and remove gloves immediately after use. Wash hands with soap and water. All glove recommendations presume that the risk of exposure is through splash and not intentional immersion of the hands into the product. Since glove permeation data does not exist for this material, no recommendation for the glove material can be given for the product. Permeation data must be obtained from the glove

*(Contd. on page 5)*

# Safety data sheet

according to 1907/2006/EC, Article 31

Date Printed 02.02.2022

Version number 1

Revision Date 02.02.2022

**Trade name: MONOMER I SOLUTION (LOWICRYL K11M)**
*(Contd. of page 4)*

manufacturer to determine if the glove is suitable for the task.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**



Tightly sealed goggles

## SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

- **Form:**

Fluid

- **Colour:**

According to product specification

- **Odour:**

Characteristic

- **Odour threshold:**

Not determined.

- **pH-value:**

Not determined.

- **Change in condition**

- **Melting point/freezing point:**

Undetermined.

- **Initial boiling point and boiling range:** 246 °C

- **Flash point:**

93 °C

- **Flammability (solid, gas):**

Not applicable.

- **Decomposition temperature:**

Not determined.

- **Auto-ignition temperature:**

Product is not selfigniting.

- **Explosive properties:**

Product does not present an explosion hazard.

- **Explosion limits:**

- **Lower:**

Not determined.

- **Upper:**

Not determined.

- **Vapour pressure:**

Not determined.

- **Density:**

Not determined.

- **Relative density**

Not determined.

- **Vapour density**

Not determined.

- **Evaporation rate**

Not determined.

- **Solubility in / Miscibility with water at 20 °C:**

10.6 g/l

- **Partition coefficient: n-octanol/water:**

Not determined.

- **Viscosity:**

- **Dynamic:**

Not determined.

- **Kinematic:**

Not determined.

- **Solvent content:**

- **VOC (EC)**

0.00 %

- **Solids content:**

0.0 %

*(Contd. on page 6)*

# Safety data sheet

according to 1907/2006/EC, Article 31

Date Printed 02.02.2022

Version number 1

Revision Date 02.02.2022

Trade name: **MONOMER I SOLUTION (LOWICRYL K11M)**

*(Contd. of page 5)*

· **9.2 Other information**

No further relevant information available.

## SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability** Stable.
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** Hazardous polymerization may occur.
- **10.4 Conditions to avoid** Heat, UV light, free radical initiators.
- **10.5 Incompatible materials:** Oxidising and reducing agents.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

## SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity**  
Harmful in contact with skin.
- **Specific symptoms in biological assay:**
- **Skin corrosion/irritation**  
Causes severe skin burns and eye damage.
- **Serious eye damage/irritation**  
Causes serious eye damage.
- **Respiratory or skin sensitisation**  
May cause an allergic skin reaction.
- **Additional toxicological information:**
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Very toxic for fish
- **Additional ecological information:**
- **General notes:**  
Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water  
Do not allow product to reach ground water, water course or sewage system, even in small quantities.  
Must not reach sewage water or drainage ditch undiluted or unneutralised.  
Danger to drinking water if even extremely small quantities leak into the ground.  
Very toxic for aquatic organisms
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

*(Contd. on page 7)*

# Safety data sheet

according to 1907/2006/EC, Article 31

Date Printed 02.02.2022

Version number 1

Revision Date 02.02.2022




**Trade name: MONOMER I SOLUTION (LOWICRYL K11M)**
*(Contd. of page 6)*

- **12.6 Other adverse effects** No further relevant information available.

## SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

## SECTION 14: Transport information

- **14.1 UN-Number**  
· **ADR, IMDG, IATA** UN2810
- **14.2 UN proper shipping name**  
· **ADR** TOXIC, LIQUIDS, ORGANIC, N.O.S.  
2810 TOXIC LIQUID, ORGANIC, N.O.S. (2-hydroxyethyl acrylate), ENVIRONMENTALLY HAZARDOUS
- **IMDG, IATA** TOXIC LIQUID, ORGANIC, N.O.S. (2-hydroxyethyl acrylate)
- **14.3 Transport hazard class(es)** 6.1
- **ADR**
- 

- **Class** 6.1 Toxic substances.
- **Label** 6.1
- **IMDG, IATA**
- 
- **Class** 6.1 Toxic substances.
- **Label** 6.1
- **14.4 Packing group**  
· **ADR, IMDG, IATA** III
- **14.5 Environmental hazards:**
- **Marine pollutant:** No
- **Special marking (ADR):** Symbol (fish and tree)
- **14.6 Special precautions for user** Warning: Toxic substances.
- **Hazard identification number (Kemler code):** 60
- **EMS Number:** F-A,S-A
- **Stowage Category** B
- **Stowage Code** SW2 Clear of living quarters.
- **14.7 Transport in bulk according to Annex II of Marpol and the IBC Code** Not applicable.

*(Contd. on page 8)*

# Safety data sheet

according to 1907/2006/EC, Article 31

Date Printed 02.02.2022

Version number 1

Revision Date 02.02.2022

**Trade name: MONOMER I SOLUTION (LOWICRYL K11M)**

(Contd. of page 7)

**· Transport/Additional information:**
**· ADR**

- **Limited quantities (LQ)** 5L
- **Excepted quantities (EQ)** Code: E1  
Maximum net quantity per inner packaging: 30 ml  
Maximum net quantity per outer packaging: 1000 ml
- **Transport category** 2
- **Tunnel restriction code** E

**· IMDG**

- **Limited quantities (LQ)** 5L
- **Excepted quantities (EQ)** Code: E1  
Maximum net quantity per inner packaging: 30 ml  
Maximum net quantity per outer packaging: 1000 ml

**· UN "Model Regulation":**

UN 2810 TOXIC LIQUID, ORGANIC, N.O.S. (2-HYDROXYETHYL ACRYLATE), 6.1, III, ENVIRONMENTALLY HAZARDOUS

## SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Seveso category** E1 Hazardous to the Aquatic Environment
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 100 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

This information is based on our present knowledge and should assist the user with the safe handling of this material when properly applied. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**· Relevant phrases**

- H226 Flammable liquid and vapour.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H400 Very toxic to aquatic life.

**· Department issuing SDS:** Sales department

**· Contact:**

sales@agarscientific.com  
Tel: +44 (0) 1279 813 519

**· Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals

(Contd. on page 9)



# Safety data sheet

according to 1907/2006/EC, Article 31

Date Printed 02.02.2022

Version number 1

Revision Date 02.02.2022

 Trade name: **MONOMER I SOLUTION (LOWICRYL K11M)**
*(Contd. of page 8)*

EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 VOC: Volatile Organic Compounds (USA, EU)  
 PBT: Persistent, Bioaccumulative and Toxic  
 vPvB: very Persistent and very Bioaccumulative  
 Flam. Liq. 3: Flammable liquids – Category 3  
 Acute Tox. 3: Acute toxicity – Category 3  
 Acute Tox. 4: Acute toxicity – Category 4  
 Skin Corr. 1B: Skin corrosion/irritation – Category 1B  
 Skin Irrit. 2: Skin corrosion/irritation – Category 2  
 Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2  
 Skin Sens. 1: Skin sensitisation – Category 1  
 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3  
 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

**\* Data compared to the previous version altered.**

GB