

Date Printed 17.02.2022 Version number 1 Revision Date 17.02.2022

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: CitiFluor CFM-2 Mountant Solution
- · Article number: AGR1331-10
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

A buffered aqueous-glycerol solution for use in fluorescence microscopy

- · **Application of the substance / the preparation:** No further relevant information.
- · 1.3 Details of the supplier of the safety data sheet
- · Supplier.

Agar Scientific Ltd Parsonage Lane Stansted CM24 8GF United Kingdom sales@agarscientific.com

Tel: +44 (0) 1279 813 519

- · Further information obtainable from: Technical Support
- · 1.4 Emergency telephone number: 24 hours: +44 (0)1856 407333

## **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



Acute Tox. 4 H332 Harmful if inhaled.

Eye Irrit. 2 H319 Causes serious eye irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard-determining components of labelling:

pyridine 1-oxide

### · Hazard statements

H332 Harmful if inhaled.

H319 Causes serious eye irritation.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear eye protection / face protection.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P312 Call a POISON CENTER/doctor if you feel unwell.
P337+P313 If eye irritation persists: Get medical advice/attention.

(Contd. on page 2)



Date Printed 17.02.2022 Version number 1 Revision Date 17.02.2022

Trade name: CitiFluor CFM-2 Mountant Solution

(Contd. of page 1)

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable. · **vPvB:** Not applicable.

# **SECTION 3: Composition/information on ingredients**

· 3.2 Chemical characterisation: Mixtures

· **Description**: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 56-81-5	glycerol	50.0%
EINECS: 200-289-5	substance with a Community workplace exposure limit	
	pyridine 1-oxide	50.0%
EINECS: 211-774-6	① Acute Tox. 4, H312; Acute Tox. 4, H332; Eye Irrit. 2, H319	

<sup>•</sup> Additional information: For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

#### · 4.1 Description of first aid measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

No adverse effects are anticipated from inhalation.

Move the exposed person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.

After skin contact:

Remove affected person from source of contamination. Remove contaminated clothing. Wash the skin

immediately with soap and water. Get medical attention if any discomfort continues.

After eye contact:

Rinse opened eye under running water. If symptoms persist, consult a doctor.

Check for contact lenses which must be removed from the eyes before rinsing. Promptly rinse eyes with plenty of clean water while lifting the eyelids. Continue to rinse for at least 15 minutes. Continue until the eyes are free of all traces of contamination. Get medical attention if any discomfort or irritation persists.

After swallowing:

NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Rinse mouth thoroughly. Get medical attention if any discomfort continues.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5: Firefighting measures**

· 5.1 Extinguishing media

Suitable extinguishing agents:

Use fire extinguishing methods suitable to surrounding conditions.

This product is not flammable. Use fire extinguishing media appropriate for surrounding materials

For safety reasons unsuitable extinguishing agents:

Do not use water jet as an extinguisher as this may spread the fire.

(Contd. on page 3)



Date Printed 17.02.2022 Version number 1 Revision Date 17.02.2022

Trade name: CitiFluor CFM-2 Mountant Solution

(Contd. of page 2)

### · 5.2 Special hazards arising from the substance or mixture

During fire, toxic gases (CO, CO2, NOx) may be formed.

- 5.3 Advice for firefighters
- Protective equipment:

Positive pressure self-contained breathing apparatus.

Wear self contained breathing apparatus and full protective clothing. Keep all unnecessary people away. fire water run-off must not be allowed to contaminate ground or enter drains, sewers or water courses. Provide bunding against fire water run-off.

### **SECTION 6: Accidental release measures**

# · 6.1 Personal precautions, protective equipment and emergency procedures

Eye contact MUST be prevented by means of suitable personal protection equipment

6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Do not allow ANY environmental contamination

### 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush with plenty of water to clean spillage area. Flushings must not be allowed to contaminate ground or enter drains, sewers or water courses.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

#### · 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid spilling, skin and eye contact. Wash thoroughly after handling.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities

Store in tightly closed container in a dry and cool place. Keep away from food, drink and animal feeding stuffs.

- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

- · 8.1 Control parameters
- · Additional information about design of technical facilities:

Provide adequate ventilation. Observe occupational exposure limits and minimise the risk of inhalation of vapours.

Ingredients with limit values that require monitoring at the workplace:

#### 56-81-5 glycerol

WEL Long-term value: 10 mg/m³

· Additional information: The lists valid during the making were used as basis.

(Contd. on page 4)



Date Printed 17.02.2022 Version number 1 Revision Date 17.02.2022

Trade name: CitiFluor CFM-2 Mountant Solution

(Contd. of page 3)

- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

## Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

In case of inadequate ventilation of when the product is heated use suitable respiratory equipment with gas filter (type A2).

Protection of hands:



### Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Wear suitable protective gloves conforming to EN 374. Seek recommendation from manufacturer or supplier. After using gloves the hands should be washed and dried thoroughly and a suitable moisturiser applied.

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

Use approved safety goggles or face shield.

· Body protection: Wear appropriate clothing to prevent any possibility of skin contact.

## **SECTION 9: Physical and chemical properties**

- 9.1 Information on basic physical and chemical properties
- · General Information
- Appearance:

Form: Liquid
Colour: Colourless
Odour: Odourless

(Contd. on page 5)



Date Printed 17.02.2022 Version number 1 Revision Date 17.02.2022

Trade name: CitiFluor CFM-2 Mountant Solution

	(Contd. of page
· Odour threshold:	Not determined.
· pH-value at 20 °C:	8.5
Change in condition  Melting point/freezing point:  Initial boiling point and boiling range	Undetermined. : Undetermined.
· Flash point:	Not applicable.
· Flammability (solid, gas):	Not applicable.
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits: Lower: Upper:	Not determined. Not determined.
· Vapour pressure:	Not determined.
· Density: · Relative density · Vapour density · Evaporation rate	Not determined. Not determined. Not determined. Not determined.
· Solubility in / Miscibility with water:	Fully miscible.
Partition coefficient: n-octanol/water:	Not determined.
· Viscosity: Dynamic: Kinematic:	Not determined. Not determined.
Solvent content: Organic solvents: VOC (EC)	50.0 % 0.00 %
Solids content:	0.0 %
9.2 Other information	Refractive index 1.52 @20°C

## **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability Stable under normal conditions of storage and use.
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:

Decomposition can lead to the formation of toxic gases or fumes, including carbon monoxide (CO), carbon dioxide (CO2) and nitrous gases (NOx).

GB



Date Printed 17.02.2022 Version number 1 Revision Date 17.02.2022

Trade name: CitiFluor CFM-2 Mountant Solution

(Contd. of page 5)

# **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity

Harmful if inhaled.

- · Specific symptoms in biological assay:
- Skin corrosion/irritation

May cause defatting of the skin, but is not an irritant. Not a skin sensitiser.

Serious eye damage/irritation

Causes serious eye irritation.

Irritating and may cause redness and pain

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Other information (about experimental toxicology):

Inhalation: Not relevant at room temperatures. When heated, irritating vapours may be formed. Ingestion: May cause discomfort if swallowed.

- Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

# **SECTION 12: Ecological information**

#### · 12.1 Toxicity

The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment

- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability This product is expected to be biodegradable
- 12.3 Bioaccumulative potential

This product does not contain any substances expected to be bioaccumulating

- 12.4 Mobility in soil The product is completely water-soluble and may spread in water systems.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

## **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Product is hazardous waste. Do not allow into drains, sewers or water courses. Disposal must be by means of a licensed waste contractor.

(Contd. on page 7)



Date Printed 17.02.2022 **Version number 1 Revision Date 17.02.2022** 

Trade name: CitiFluor CFM-2 Mountant Solution

(Contd. of page 6)

· Recommendation:

Small amounts may be flushed with water to sewer. Larger volumes must be sent to approved plant for destruction.

Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information		
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
<ul> <li>14.7 Transport in bulk according to Anr of Marpol and the IBC Code</li> </ul>	nex II Not applicable.	
· UN "Model Regulation":	Void	

## **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge and should assist the user with the safe handling of this material when properly applied. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### Relevant phrases

H312 Harmful in contact with skin.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

- · Department issuing SDS: Sales department
- · Contact:

sales@agarscientific.com

Tel: +44 (0) 1279 813 519

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 8)



**Date Printed 17.02.2022 Version number 1**  **Revision Date 17.02.2022** 

Trade name: CitiFluor CFM-2 Mountant Solution

(Contd. of page 7)

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

\* Data compared to the previous version altered.